

Commissioner of Patents

Serial No. 10/707,761

Response Date April 11, 2005

Reply to Office Action dated December 14, 2004

Page 6

**AMENDMENTS TO THE CLAIMS**

1. (Currently Amended) An apparatus for producing a gypsum wallboard core, the apparatus comprising:
  - (a) a mixer;
  - (b) an extrusion die comprising a die inlet, a die exit, and a manifold disposed between the die inlet and the die exit, wherein the die inlet is in fluid communication with the mixer, ~~and wherein~~ the extrusion die has secondary inlets for the introduction of the gypsum ingredients, and the die exit is dimensioned to have a cross-section that is substantially identical to that of the gypsum wallboard core;
  - (c) a substantially flat, movable surface disposed adjacent to the die exit; and
  - (d) a dryer.
2. (Original) The apparatus of claim 1, wherein the mixer is a twin screw continuous mixer.
3. (Original) The apparatus of claim 1, wherein the mixer is a single screw mixer.
4. (Original) The apparatus of claim 1, wherein the mixer maintains positive displacement of materials in the mixer.
5. (Original) The apparatus of claim 1, wherein the mixer comprises one or more conduits or injection ports.
6. (Original) The apparatus of claim 1, wherein the die exit has a rectangular cross section.
7. (Original) The apparatus of claim 6, wherein the rectangular cross section has a ratio of width to thickness of about 48:1 to about 216:1.

Commissioner of Patents  
Serial No. 10/707,761  
Response Date April 11, 2005  
Reply to Office Action dated December 14, 2004  
Page 7

8. (Original) The apparatus of claim 6, wherein the rectangular cross section has a width of about 4 feet to about 4.5 feet.
9. (Original) The apparatus of claim 6, wherein the rectangular cross section has a height of about 1/4 inch to about 1 inch.
10. (Original) The apparatus of claim 6, wherein the rectangular cross section has a height of about 1/4 inch, about 5/16 inch, about 3/8 inch, about 1/2 inch, about 5/8 inch, about 3/4 inch or about 1 inch.
11. (Original) The apparatus of claim 1 wherein the dryer comprises a microwave heating section.
12. (Original) The apparatus of claim 1, wherein the dryer comprises a convection heating section.
13. (Original) The apparatus of claim 1, wherein the dryer comprises a microwave heating section and a convection heating section.
14. (New) An apparatus for producing a gypsum wallboard core, the apparatus comprising:
  - (a) a mixer having a discharge end; and
  - (b) an extrusion die having a die inlet that is connected to the discharge end of the mixer, a die exit dimensioned to have a cross-section that is substantially identical to the gypsum wallboard core, and a manifold disposed between the die inlet and the die exit.
15. (New) The apparatus of claim 14, wherein the die inlet of the extrusion die has a cross-sectional area that is substantially the same as that of the mixer discharge end.
16. (New) The apparatus of claim 14, wherein the die exit has a rectangular cross section.

Commissioner of Patents  
Serial No. 10/707,761  
Response Date April 11, 2005  
Reply to Office Action dated December 14, 2004  
Page 8

17. (New) The apparatus of claim 16, wherein the rectangular cross section has a ratio of width to thickness of about 48:1 to about 216:1.
18. (New) The apparatus of claim 16, wherein the rectangular cross section has a width of about 4 feet to about 4.5 feet.
19. (New) The apparatus of claim 16, wherein the rectangular cross section has a height of about 1/4 inch to about 1 inch.